



www.centralsemi.com

DESCRIPTION:

The CENTRAL SEMICONDUCTOR CMKTC825A and CMKTC825E are 6.2 volt, temperature compensated Zener reference diodes. These devices are ideal for applications requiring long term voltage stability over the specified temperature range.

CMKTC825A MARKING CODE: CT25 CMKTC825E MARKING CODE: C25E

| MAXIMUM RATINGS: (T _A =25°C) Power Dissipation | | SYMBOL PD | 32 | 25 | UNITS mW | | | |
|---|-----------------------------------|--------------|-------------|------|-------------|--|--|--|
| Operating and Storage Junction Temperature | | TJ, Tstg | -65 to +150 | | °C | | | |
| Tolerance | | | ±5 | | % | | | |
| ELECTRICAL CHARACTERISTICS: (TA=25°C unless otherwise noted) | | | | | | | | |
| SYMBOL | TEST CONDITIONS | MIN | NOM | MAX | UNITS | | | |
| VZ | I _Z =7.5mA | 5.89 | 6.20 | 6.51 | V | | | |
| ZZ | IZ=7.5mA | | | 20 | Ω | | | |
| ΔV_Z^* | I _Z =7.5mA (CMKTC825A) | | | 44 | mV | | | |
| ΔV_Z^* | I _Z =7.5mA (CMKTC825E) | | | 20 | mV | | | |

* The maximum allowable voltage change observed at the specified temperatures of -55°C, 0°C, 25°C, 75°C, and 100°C


R5 (13-January 2010)





SURFACE MOUNT **TEMPERATURE COMPENSATED** SILICON ZENER DIODE


С



| DIMENSIONS | | | | | | | |
|-------------------|--------|-------|-------------|------|--|--|--|
| | INCHES | | MILLIMETERS | | | | |
| SYMBOL | MIN | MAX | MIN | MAX | | | |
| А | 0.004 | 0.010 | 0.10 | 0.25 | | | |
| В | 0.005 | - | 0.12 | - | | | |
| С | 0.000 | 0.004 | 0.00 | 0.10 | | | |
| D | 0.031 | 0.043 | 0.80 | 1.10 | | | |
| Е | 0.071 | 0.087 | 1.80 | 2.20 | | | |
| F | 0.051 | | 1.30 | | | | |
| G | 0.026 | | 0.65 | | | | |
| Н | 0.075 | 0.091 | 1.90 | 2.30 | | | |
| J | 0.043 | 0.055 | 1.10 | 1.40 | | | |
| K | 0.006 | 0.012 | 0.15 | 0.30 | | | |
| SOT-363 (REV: R2) | | | | | | | |

SOT-363 (REV: R2)

PIN CONFIGURATION



LEAD CODE:

1) Anode 2) Anode


3) NC4) Cathode 5) Cathode

6) NC

MARKING CODES: CMKTC825A: CT25 CMKTC825E: C25E

SUGGESTED MOUNTING PADS (Dimensions in mm)





R5 (13-January 2010)

www.centralsemi.com

SOT-363 CASE - MECHANICAL OUTLINE

OUTSTANDING SUPPORT AND SUPERIOR SERVICES



PRODUCT SUPPORT

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- Inventory bonding
- Consolidated shipping options

- Custom bar coding for shipments
- Custom product packing

DESIGNER SUPPORT/SERVICES

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free quick ship samples (2nd day air)
- Online technical data and parametric search
- SPICE models
- Custom electrical curves
- Environmental regulation compliance
- Customer specific screening
- Up-screening capabilities

- Special wafer diffusions
- PbSn plating options
- Package details
- Application notes
- Application and design sample kits
- Custom product and package development

CONTACT US

Corporate Headquarters & Customer Support Team

Central Semiconductor Corp. 145 Adams Avenue Hauppauge, NY 11788 USA Main Tel: (631) 435-1110 Main Fax: (631) 435-1824 Support Team Fax: (631) 435-3388 www.centralsemi.com

Worldwide Field Representatives: www.centralsemi.com/wwreps

Worldwide Distributors: www.centralsemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: <u>www.centralsemi.com/terms</u>

www.centralsemi.com





Product End of Life Notification

| PDN ID: | PDN01028 |
|--------------------|----------|
| Notification Date: | 6/23/16 |
| Last Buy Date: | 12/23/16 |
| Last Shipment Date | 6/23/17 |

Summary: The CMKTC825E temperature compensated Zener diode has been discontinued and is now classified as End of Life (EOL).

Although Central Semiconductor Corp. makes every effort to continue to produce devices that have been proclaimed EOL (End of Life) by various manufacturers, it is an accepted industry practice to discontinue certain devices when customer demand falls below a minimum level of sustainability. Accordingly, the following product(s) have been transitioned to End of Life status as part of Central's Product Management Process. Any replacement product will be noted below. The effective date for placing the last purchase order will be six(6) months from the date of this notice and twelve(12) months from the notice date for final shipments; this may be extended if inventory is available.

| Central Part Number | Replacement | |
|---------------------|--------------|---|
| CMKTC825E BK | CMKTC825A BK | Н |
| CMKTC825E TR | CMKTC825A TR | Н |

Central would be happy to assist you by providing additional information or technical data to help locate an alternate source if we have no replacement available. Please email your requests to engineering@centralsemi.com.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.