



REV	BY	DATE	ECN/ERO	DESCRIPTION
00	Jinlong	09/16/17	-	PRODUCTION RELEASE



NOTES:


- ① Wire are UL1213 AWG20,19/32 TEFLON, STRANDS.
- 2. Lapped both side, height is 2.845 ± 0.025 mm, flatness and parallel is 0.025mm.
- ③ Sealed with RTV.
- ④ ACR: 0.798-0.976 ohms(23°C)



REFERENCE ONLY!	
Nominal Specs (@25°C)	
I_{max} (A)	14.7
U_{max} (V)	14.5
Q_{max} (W)	126.2
ΔT_{max} (°C)	67

Ceramic Material: Alumina(Al₂O₃)
Solder Construction: 232°C SbSn

NOTE:
ALL DIMENSIONS = mm

		P/N	387001825		DESCRIPTION	ET15,12,F2,4040,TA,RT,W6		
		4707 DETROIT AVE CLEVELAND, OHIO 44102 PH. (216) 939-2300 FAX (216) 939-2310				TITLE THERMOELECTRIC MODULE 232° SbSn CONSTRUCTION		
SURFACE FINISH 3.2 $\sqrt{\mu\text{m}}$ 125 $\sqrt{\mu\text{in}}$ (UNLESS OTHERWISE SPECIFIED) BREAK ALL EDGES; 0.015 [0.40mm] x 45°		NAME	Jinlong		DATE	09/16/17		
		DRAWN BY	Jinlong		DATE	09/16/17		
		INITIATED BY			APPROVAL			
Laird TM				DWG NO	387001825		REV	00